





WO 01/18199 PCT/GB00/03500




SUBSTITUTE SHEET (RULE 26)












. . 1.







11/26





12/26






14/26








16/26












4.

20/26



PCT/GB00/03500

21/26 FIG. 8(a)

Sequence of SBMV Coat Protein Spanning The Potential Insertion Site With Introduced Base Changes and New Restriction Sites: (sequence starts at nt 3955)





FIG. 8(b)

Series of Sequences to be Inserted Between the Restriction Sites to Insert the MUC1(16) Epitope at Various Locations



4-12

PCT/GB00/03500

22/26

FIG. 9

LTSV: NI---YAPARLTIAA-ANSSINIASVGTLYATYEVEL SBMV: NIGNILVPARLVIAMEGGSSKTAVNTGRLYASYTIRL

SMV : NIATDLVPARLVIALLDGSSSTAVAAGRIYASYTIOM

###############################

βH loop βI

FIG. 13

220 230 240

AA ASIVQKYVIDLGGTLTSFEGPSYLMPP
PHD sec HHHHHEEEE EEEE EEEEE

Rel sec |145432244525515625586487624

detail :

prE sec |101123456632246752212688753

prL sec |422221112246642237787311246

subset : SUB sec | ..H.....E.LL.EE.LLLL.EEE...

Abbreviations:

AA: amino acid sequence

H: helix

E: extended (sheet) blank: other (loop)

PHD: Profile network prediction HeiDelberg

Rel: Reliability index of prediction (0-9)

prH: probability for assigning helix

prE: probability for assigning strand prL: probability for assigning loop

SUB: a subset of the prediction, for all residues with an average expected accuracy of

>82%

PCT/GB00/03500

23/26

FIG. 10(a)

Sequence of LTSV Coat Protein Spanning The Potential Insertion Site With Introduced Base Changes and New Restriction Sites: (sequence starts at nt 3954)

I A A A N S S I N I A S V G T L Y ATAGCCGCAGCTAACAGCTCCATAAACATAGCTAGTGTGGGTACTCTTTAT

CTGCAG


Pst |

GGTACC Kpn I

FIG. 10(b)

Series of Sequences to be Inserted Between the Restriction Sites to Insert the MUC1(16) Epitope at Various Locations.

G V T S A P D T R P A P G S T A GGTGTTACTTCTGCTCCTGATACTAGACCTGCTCCTGGTTCTACTGCTCCACAATGAAGACGACCACTATGATCTGGACGAGGACCAAGATGACGA



GCTAACAGC ACGTCGATTGTCG TCCATAAACATAGCTAGTGTGGGTAC AGGTATTTGTATCGATCACACC

GCTAACAGCTCC ACGTCGATTGTCGAGG ATAAACATAGCTAGTGTGGGTAC TATTTGTATCGATCACACC

GCTAACAGCTCCATA ACGTCGATTGTCGAGGTAT AACATAGCTAGTGTGGGTAC TTGTATCGATCACACC

GCTAACAGCTCCATAAAC ACGTCGATTGTCGAGGTATTTG ATAGCTAGTGTGGGTAC TATCGATCACACC

GCTAACAGCTCCATAAACATA ACGTCGATTGTCGAGGTATTTGTAT GCTAGTGTGGGTAC CGATCACACC

GCTAACAGCTCCATAAACATAGCT ACGTCGATTGTCGAGGTATTTGTATCGA AGTGTGGGTAC TCACACC


1.

PCT/GB00/03500

24/26

FIG. 11

Lipman-Pearson alignment of RCNMV and TBSV coat protein sequences.



PCT/GB00/03500

26/26

FIG. 14(a)

Sequence of RCNMV Coat Protein Spanning The Potential Insertion Site With Introduced Base Changes and New Restriction Sites: (sequence starts at nt 3070)


↓ ↓ GTGCAC *Apa*Ll

ΨΨ GTTAAC Hpal

FIG. 14(b)

Series of Sequences to be Inserted Between the Restriction Sites to Insert the MUC1(16) Epitope at Various Locations

G V T S A P D T R P A P G S T A GGTGTTACTTCTGCTCCTGATACTAGACCTGCTCCTGGTTCTACTGCTCCACAATGAAGACGACCACTATGATCTGGACGACGACCAAGATGACGA



GAAAACTGTA ACGTCTTTTGACAT ATTGATCTCGGTGGGACGTT TAACTAGAGCCACCCTGCAA

GAAAACTGTAATT ACGTCTTTTGACATTAA GATCTCGGTGGGACGTT CTAGAGCCACCCTGCAA

GAAAACTGTAATTGAT ACGTCTTTTGACATTAACTA CTCGGTGGGACGTT GAGCCACCCTGCAA

GAAAACTGTAATTGATCTC ACGTCTTTTGACATTAACTAGAG GGTGGGACGTT CCACCCTGCAA

GAAAACTGTAATTGATCTCGGT ACGTCTTTTGACATTAACTAGAGCCA GGGACGTT CCCTGCAA

GAAAACTGTAATTGATCTCGGTGGG ACGTCTTTTGACATTAACTAGAGCCACCC ACGTT TGCAA